



1. Ciba-Geigy Corporation Technical bulletin (Irgasan DP 300—Broad Spectrum Antibacterial, 1988.
2. Regos J, Hitz HR: Investigations on the mode of action of triclosan, a broad spectrum antibacterial agent. *Zbl Bakt Hyg* 226:390–401, 1974.
3. Lukacs VA, Korting HC: Antiperspirants and deodorants—Ingredients and evaluation. *Derm Berufumwelt* 37:53–57, 1989.
4. Webster J: Handwashing in a neonatal intensive care nursery: Product acceptability and effectiveness of chlorhexidine gluconate 4% and triclosan 1%. *J Hosp Infect* 21:137–141, 1992.
5. Lindhe J: Triclosan/copolymer/fluoride dentifrices: A new technology for the prevention of plaque, calculus, gingivitis and caries. *Am J Dent* 3: S3–S54, 1990.
6. DeSalva SJ, Kong BM, Lin Y-J: Triclosan: A safety profile. *Am J Dent* 2:185–196, 1989.
7. Bagley DM, Lin Y-J: Clinical evidence for the lack of triclosan accumulation from daily use in dentifrices. *Am J Dent* 13:148–152, 2000.
8. Barbolt TA: Chemistry and safety of triclosan, and its use as an antimicrobial coating on coated VICRYL plus antibacterial suture (coated polyglactin 910 suture with triclosan). A two-year clinical study. *Surg Infect* 3:S45–S53, 2002.
9. Fine DH, Furgang D, Bonta Y, DeVizio W, Volpe AR, Reynolds H, Zambon JJ, Dunford RG: Efficacy of a triclosan/NaF dentifrice in the control of plaque and gingivitis and concurrent oral microflora monitoring. *Am J Dent* 11:259–270, 1998.
10. Cullinan MP, Hamlet SM, Westerman B, Palmer JE, Faddy MJ, Seymour GJ: Acquisition and loss of *Porphyromonas gingivalis*, *Actinobacillus actinomycetemcomitans* and *Prevotella intermedia* over a 5-year period: Effect of a triclosan/copolymer dentifrice. *J Clin Periodontol* 30:532–541, 2003.
11. Nabi N, Mukerjee C, Schmid R, Gaffar A: In vitro and in vivo studies on triclosan/PVM/MA copolymer/NaF combination as an anti-plaque agent. *Am J Dent* 2:197–206, 1989.
12. Gaffar A, Esposito A, Afflitto J: In vitro and in vivo anticalculus effects of a triclosan/copolymer system. *Am J Dent* 3 (Spec Iss):S37–S42, 1990.
13. Nabi N, Gaffar A: Antibacterial antiplaque oral composition. United States Patent No. 4,894,220; Issued January 16, 1990.
14. Gaffar A, Nabi N, Kashaba B, Williams M, Herles S, Olsen S, Afflitto J: Antiplaque effects of dentifrices containing triclosan/copolymer/NaF system versus triclosan dentifrices without the copolymer. *Am J Dent* 3 (Spec Iss):S7–S14, 1990.
15. Gaffar A, Volpe AR, Lindhe J: Recent advances in plaque/gingivitis control. In Emberg G, Rölla G, eds., *Clinical and Biological Aspects of Dentifrices*, Oxford University Press, pp. 229–247, 1992.
16. Afflitto J, Fakhry-Smith S, Gaffar A: Salivary and plaque triclosan levels after brushing with a 0.3% triclosan/copolymer/NaF dentifrice. *Am J Dent* 2:207–210, 1989.
17. Gaffar A, Afflitto J, Nabi N, Herles S, Kruger I, Olsen S: Recent advances in plaque, gingivitis, tartar and caries prevention technology. *Int Dent J* 44:63–70, 1994.
18. Rundgren J, Huid EB, Johansson M, Astrom M: Effect of 4-day mouth rinsing with delmopinol or chlorhexidine on the viability of plaque bacteria. *J Clin Periodontol* 19:322–325, 1992.
19. Scannapieco FA: Periodontal inflammation: From gingivitis to systemic disease? *Compend Cont Educ Dent* 25 (Suppl 1):16–25, 2004.
20. Xu T, Deshmukh M, Barnes VM, Trivedi HM, Cummins D: Effectiveness of triclosan/copolymer dentifrice on microbiological and inflammatory parameters. *Compend Cont Educ Dent* 25:46–53, 2004.
21. Modeer T, Bengtsson A, Rolla F: Triclosan reduces prostaglandin biosynthesis in human gingival fibroblasts challenged with interleukin-1 in vitro. *J Clin Periodontol* 23: 927–933, 1996.
22. Mustafa M, Wondimu B, Ibrahim M, Modeer T: Effect of triclosan on interleukin-1 production in human gingival fibroblasts challenged with tumor necrosis factor. *Eur J Oral Sci* 106:637–643, 1998.
23. Mustafa M, Bakhiet M, Wondimu B, Modeer T: Effect of triclosan on interferon- production and major histocompatibility complex class II expression in human gingival fibroblasts. *J Clin Periodontol* 27:733–737, 2000.
24. Skold-Larsson K, Yucel-Lindberg T, Twetman S, Modeer T: Effect of triclosan-containing dental gel on the levels of prostaglandin I₂ and interleukin-1_α in gingival crevicular fluid from adolescents with fixed orthodontic appliances. *Acta Odontol Scand* 61:193–196, 2003.
25. Mustafa M, Wondimu B, Yucel Lindberg T, Kats A-Hallstrom T, Jonsson AS, Modeer T: Triclosan reduces microsomal prostaglandin E synthase-1 expression in human gingival fibroblasts. *J Clin Periodontol* 32:6–11, 2005.
26. Panagakos FS, Kumar E: Triclosan inhibition of cytokine-stimulated MMP-production by osteoblast-like cells. *J Dent Res* 82:2248, 2003.
27. Mustafa M, Wondimu B, Hultenby K, Yucel-Lindberg T, Modeer T: Uptake, distribution and release of ¹⁴C-triclosan in human gingival fibroblasts. *J Pharm Sci* 92(8):1648–1653, 2003.
28. Clerehugh V, Worthington H, Clarkson J, Davies TGH: The effectiveness of two test dentifrices on dental plaque formation: A 1-week clinical study. *Am J Dent* 2:221–224, 1989.
29. Singh SM, Rustogi KN, Volpe AR, Petrone M, Kirkup R, Collins M: Effect of a dentifrice containing triclosan and a copolymer on plaque formation: A 6-week clinical study. *Am J Dent* 2:225–230, 1989.
30. Palomo F, Wantland L, Sanchez A, DeVizio W, Carter W, Baines E: The effect of a dentifrice containing triclosan and a copolymer on plaque formation and gingivitis: A 14-week clinical study. *Am J Dent* 2:231–237, 1989.
31. Lim C, Petrone ME, Volpe AR, DeVizio W, Lim C, Hescot P, Flament-Lamotte D, Simon A, Joseph L: Comparative efficacy of a dentifrice containing 0.3% triclosan and 1100 ppm sodium fluoride and a dentifrice containing 0.3% triclosan and 1500 ppm sodium fluoride in the control of plaque and gingivitis. Unpublished clinical study data on file, Colgate-Palmolive Technology Center, 1991.
32. Guidelines for Acceptance of Chemotherapeutic Products for the Control of Supragingival Dental Plaque and Gingivitis. American Dental Association Council on Dental Therapeutics. *JADA* 112:529–532, 1986.
33. Imrey PB, Chilton NW, Pihlstrom BL, Proskin HM, Kingman A, Listgarten MA, Zimmerman SO, Ciancio SG, Cohen ME, D'Agostino RB, Fischman SL, Fleiss JL, Gunsolly JC, Kent RL, Killoy WJ, Laster LL, Marks RG, Varma O: Recommended revisions to American Dental Association guidelines for acceptance of chemotherapeutic products for gingivitis control. *J Periodontol Res* 29:299–304, 1994.
34. Garcia-Godoy F, Garcia-Godoy F, DeVizio W, Volpe AR, Ferlauto RJ, Miller JM: Effect of a triclosan/copolymer/fluoride dentifrice on plaque formation and gingivitis: A 7-month clinical study. *Am J Dent* 3 (Spec Iss):S15–S26, 1990.
35. Cubells AB, Dalmau LB, Petrone ME, Chaknis P, Volpe AR: The effect of a triclosan/copolymer/fluoride dentifrice on plaque formation and gingivitis: A six-month clinical study. *J Clin Dent* 2:63–69, 1991.
36. Deasy MJ, Singh SM, Rustogi KN, Petrone DM, Battista G, Petrone ME, Volpe AR: Effect of a dentifrice containing triclosan and a copolymer on plaque formation and gingivitis. *Clin Prev Dent* 13:12–19, 1991.
37. Mankodi S, Walker C, Conforti N, DeVizio W, McCool JJ, Volpe AR: Clinical effect of a triclosan-containing dentifrice on plaque and gingivitis: A six-month study. *Clin Prev Dent* 14:4–10, 1992.
38. Denepitiya JL, Fine D, Singh S, DeVizio W, Volpe AR, Person P: Effect upon plaque formation and gingivitis of a triclosan/copolymer/fluoride dentifrice: A 6-month clinical study. *Am J Dent* 5:307–311, 1992.
39. Bolden TE, Zambon JJ, Sowinski J, Ayad F, McCool J, Volpe AR, DeVizio W: The clinical effect of a dentifrice containing triclosan and a copolymer in a sodium fluoride/silica base on plaque formation and gingivitis: A six-month clinical study. *J Clin Dent* 4:125–131, 1992.
40. Palomo F, Wantland L, Sanchez A, Volpe AR, McCool JJ, DeVizio W: The effect of three commercially available dentifrices containing triclosan on supragingival plaque formation and gingivitis: A six-month clinical study. *Int Dent J* 44 (Suppl 1):75–81, 1994.
41. Triratana T, Tuongratanaphan S, Kraivaphan P, Rustogi KN, Volpe AR: The effect on established plaque formation and gingivitis of a triclosan/copolymer/fluoride dentifrice: A six-month clinical study. *J Dent Assoc-Thailand* 43:19–28, 1993.
42. Lindhe J, Rosling B, Socransky SS, Volpe AR: The effect of a triclosan-containing dentifrice on established plaque and gingivitis. *J Clin Periodontol* 20:327–334, 1993.



43. Deyu H, Jincai Z, Huchun W, et al: Efficacy of triclosan/copolymer dentifrice in the control of plaque and gingivitis. A six-month clinical study. *WCJS* 11:332–335, 1997.
44. Allen DR, Battista GW, Petrone DM, Petrone ME, Chaknis P, DeVizio W, Volpe AR: The clinical efficacy of Colgate total plus whitening toothpaste containing a special grade of silica and Colgate total fresh stripe toothpaste in the control of plaque and gingivitis. A six-month clinical study. *J Clin Dent* 13 (Spec Iss):59–64, 2002.
45. Mankodi S, Lopez M, Smith I, Petrone D, Petrone ME, Chaknis P, DeVizio W, Volpe AR, Proskin HM: Comparison of two dentifrices with respect to efficacy for the control of plaque gingivitis, and with respect to extrinsic tooth staining. A six-month clinical study on adults. *J Clin Dent* 13:228–233, 2002.
46. Triratana T, Rustogi KN, Volpe AR, DeVizio W, Petrone M, Giniger M: Clinical effect of a new liquid dentifrice containing triclosan/copolymer on existing plaque and gingivitis. A six-month clinical study. *JADA* 133:219–225, 2002.
47. Quigley GA, Hein JW: Comparative cleansing efficacy of manual and power brushing. *JADA* 65:26–29, 1962.
48. Turesky S, Gilmore ND, Glickman I: Reduced plaque formation by the chloromethyl analogue of vitamin C. *J Periodontol* 41:41–43, 1970.
49. Löe H, Silness J: Periodontal disease in pregnancy. I. Prevalence and severity. *Acta Odont Scand* 21:533–551, 1963.
50. Talbott K, Mandel ID, Chilton NW: Reduction of baseline gingivitis scores with repeated prophylaxes. *J Prev Dent* 4:28–29, 1977.
51. Svatun B, Saxton CA, Huntington E, Cummins D: The effects of three silica dentifrices containing triclosan on supragingival plaque and calculus formation and on gingivitis. *Int Dent J* 43 (Suppl 1):441–452, 1993.
52. Kanchanakamol U, Umpriwan R, Jotikasthira N, Srisilapanan P, Tuongratanaphan S, Sholitulul W, Chat-Uthai T: Reduction of plaque formation and gingivitis by a dentifrice containing triclosan and copolymer. *J Periodontol* 66:109–112, 1995.
53. Renvert S, Birkhed D: Comparison between 3 triclosan dentifrices on plaque, gingivitis and salivary microflora. *J Clin Periodontol* 22:63–70, 1995.
54. Rosling B, Wannfors B, Volpe AR, Furuichi Y, Ramberg P, Lindhe J: The use of triclosan/copolymer dentifrice may retard the progression of periodontitis. *J Clin Periodontol* 24:873–880, 1997.
55. Rosling B, Dahlen G, Volpe A, Furuichi Y, Ramberg P, Lindhe J: Effect of triclosan on the subgingival microbiota of periodontitis-susceptible subjects. *J Clin Periodontol* 24:881–887, 1997.
56. Furuichi Y, Ramberg P, Krok L, Lindhe J: Short-term effects of triclosan on healing following subgingival scaling. A two-week clinical study. *J Clin Periodontol* 24:777–782, 1997.
57. Ellwood RP, Worthington HV, Blinkhorn ASB, Volpe AR, Davies RM: Effect of a triclosan/copolymer dentifrice on the incidence of periodontal attachment loss in adolescents. *J Clin Periodontol* 26:363–367, 1998.
58. Furuichi Y, Rosling B, Volpe AR, Lindhe J: The effect of a triclosan/copolymer dentifrice on healing after non-surgical treatment of recurrent periodontitis. *J Clin Periodontol* 26:63–66, 1999.
59. Cullian MP, Westerman B, Hanlet SM, Palmer JE, Faddy MJ, Seymour GJ: The effect of a triclosan-containing dentifrice on the progression of periodontal disease in an adult population. *J Clin Periodontol* 30:414–419, 2003.
60. Kerdvongbundit V, Wikesjo UME: Effect of triclosan on healing following non-surgical periodontal therapy in smokers. A two-year clinical study. *J Clin Periodontol* 30: 1024–1030, 2003.
61. Zambon JJ, Reynolds HS, Dunford RG, Bonta CY: Effect of a triclosan/copolymer/fluoride dentifrice on the oral microflora. *Am J Dent* 3 (Spec Iss):S27–S34, 1990.
62. Bonta Y, Reynolds HS, Dunford RG, Zambon JJ: Long term effect of a triclosan/copolymer dentifrice on oral microflora. *J Dent Res* 71:557, 1992.
63. Walker C, Borden LC, Zambon JJ, Bonta CY, DeVizio W, Volpe AR: The effects of a 0.3% triclosan-containing dentifrice on the microbial composition of supragingival plaque. *J Clin Periodontol* 21:334–341, 1994.
64. Zambon JJ, Reynolds HS, Dunford RG, DeVizio W, Volpe AR, Berta R, Tempro JP, Bonta Y: Microbial alterations in supragingival dental plaque in response to a triclosan-containing dentifrice. *Oral Microb Immunol* 10:247–255, 1995.
65. Fine DH, Furgang D, Bonta Y, DeVizio W, Volpe AR, Reynolds H, Zambon JJ, Dunford RG: Efficacy of a triclosan/NaF dentifrice in the control of plaque and gingivitis and on current oral microflora monitoring. *Am J Dent* 11:259–270, 1998.
66. Schiff T, Cohen S, Volpe AR, Petrone ME: Effects of two fluoride dentifrices containing triclosan and a copolymer on calculus formation. *Am J Dent* 3 (Spec Iss):S43–S45, 1990.
67. Lobene RR, Battista GW, Petrone DM, Volpe AR, Petrone ME: Clinical efficacy of an anticalculus fluoride dentifrice containing triclosan and a copolymer: A 6-month study. *Am J Dent* 4:83–85, 1991.
68. Volpe AR, Schiff TJ, Cohen S, Petrone ME, Petrone D: Clinical comparison of the anticalculus efficacy of two triclosan-containing dentifrices. *J Clin Dent* 3:93–95, 1992.
69. Bánóczy J, Sari K, Schiff T, Petrone M, Davies R, Volpe AR: Anticalculus efficacy of three dentifrices. *Am J Dent* 8:205–208, 1995.
70. Allen D, Battista GW, Petrone DM, Petrone ME, DeVizio W, Volpe AR: A clinical study to compare the anticalculus effect of three dentifrice formulations. *J Clin Dent* 13 (Spec Iss):69–72, 2002.
71. Sowinski JA, Battista GW, Petrone DM, Petrone ME, DeVizio W, Volpe AR: A clinical study to assess the anticalculus efficacy of a new dentifrice containing a special grade of silica (Colgate Total Plus Whitening Toothpaste). A clinical trial on adults. *J Clin Dent* 13 (Spec Iss):65–68, 2002.
72. Volpe AR, Manhold JH, Hazen SP: In vivo calculus assessment: Part I. A method and its examiner reproducibility. *J Periodontol* 36:292–298, 1965.
73. Manhold JH, Volpe AR, Hazen SP, Parker L, Adams SH: In vivo calculus assessment: Part II. A comparison of scoring techniques. *J Periodontol* 36:299–304, 1965.
74. Volpe AR, Kupczak LJ, King WJ: In vivo calculus assessment: Part III. Scoring techniques, rate of calculus formation, partial mouth examinations vs. full mouth examinations, and intra-examiner reproducibility. *Periodontics* 5:184–193, 1967.
75. Volpe AR, Kupczak LJ, King WJ, Goldman HM, Schulman SM: In vivo-calculus assessment: Part IV. Parameters of human clinical studies. *J Periodontol* 40:76–86, 1969.
76. Barnett ML, Charles CH, Gilman RM, Bartels LL: Correlation between-Volpe-Manhold calculus index scores and actual calculus area. *Clin Prev Dent* 11:3–5, 1989.
77. Sielski C, Berta RL, Petrone ME, Chaknis P, DeVizio W, Volpe AR, Proskin HM: A study to assess the tooth whitening efficacy of a new dentifrice formulation variant containing a special grade of silica. A six-week study on adults. *J Clin Dent* 13 (Spec Iss):77–81, 2002.
78. Ayad F, Khalaf A, Chaknis P, Petrone ME, DeVizio W, Volpe AR, Proskin HM: Clinical efficacy of a new tooth whitening dentifrice. *J Clin Dent* 13 (Spec Iss):82–85, 2002.
79. Singh S, Mankodi S, Chaknis P, Petrone ME, DeVizio W, Volpe AR, Proskin HM: The clinical efficacy of a new tooth whitening dentifrice formulation. A six-month study in adults. *J Clin Dent* 13 (Spec Iss):86–90, 2002.
80. Nathoo S, Petrone ME, DeVizio W, Chaknis P, Volpe AR: A six-week study to compare the stain removal efficacy of three dentifrices. *J Clin Dent* 13 (Spec Iss):91–94, 2002.
81. Mankodi S, Lopez M, Smith I, Petrone DM, Petrone ME, Chaknis P, Proskin HM: Comparison of two dentifrices with respect to efficacy for the control of plaque and gingivitis, and with respect to extrinsic tooth staining: A six month clinical study on adults. *J Clin Dent* 13:228–233, 2002.
82. Mellberg JR, Blake-Haskins J, Petrou ID, Grote NE: Remineralization and demineralization in situ from a triclosan/co-polymer/fluoride dentifrice. *J Dent Res* 70:1441–1443, 1991.
83. Kertesz P, Bánóczy J, Volpe AR, Gaffar A, Petrone M, Nemes J: The influence of NaF/triclosan/copolymer toothpastes on human dental plaque. *J Dent Res* 74:941, 1995.
84. Hawley GM, Hamilton FA, Worthington HV, Davies RM, Holloway PT, Davies TGH, Blinkhorn AS: A 30-month study investigating the effect of adding triclosan/copolymer to a fluoride dentifrice. *Caries Res* 29:163–167, 1995.
85. Feller R, Kiger R, Triol CW, Sintes JL, Garcia L, Petrone ME, Volpe AR, Proskin HM: Comparison of the clinical anti-caries efficacy of an 1100 NaF silica-based dentifrice containing triclosan and a copolymer to an 1100 NaF



- silica-based dentifrice without those additional agents: A study on adults in California. *J Clin Dent* 7:85–89, 1996.
86. Mann J, Karniel C, Triol CW, Sintes JL, Garcia L, Petrone ME, Volpe AR, Proskin HM: Comparison of the clinical anti-caries efficacy of a 1500 NaF silica-based dentifrice containing triclosan and a copolymer to a 1500 NaF silica-based dentifrice without those additional agents: A study on adults in Israel. *J Clin Dent* 7:90–95, 1996.
 87. Mann J, Vered Y, Babalof I, Sintes J, Petrone ME, Volpe AR, Stewart B, DeVizio W, McCool JJ, Proskin HM: The comparative anticaries efficacy of a dentifrice containing 0.3% triclosan and 2.0% copolymer in a 0.243% sodium fluoride/silica base and a dentifrice containing 0.243% sodium fluoride/silica base. A two year coronal caries clinical trial on adults in Israel. *J Clin Dent* 12:71–76, 2001
 88. Report of Workshop Aimed at Defining Guidelines for Caries Clinical Trials: Superiority and equivalence claims for anti-caries dentifrices. *JADA* 117:663–665, 1988.
 89. Proskin HM, Kingman A, Naleway C, Wozniak WT: Comparative attributes for the description of the relative efficacy of therapeutic agents: General concepts and definitions, and application to the American Dental Association guidelines for the comparison of the clinical anti-caries efficacy of fluoride dentifrices. *J Clin Dent* 6:176–184, 1995.
 90. Sharma NC, Galustians JH, Qaqish J, Galustians A, Rustogi KN, Petrone ME, Chaknis P, Garcia L, Volpe AR, Proskin HM: The clinical effectiveness of a dentifrice containing triclosan and a copolymer for controlling breath odor measure organoleptically twelve hours after tooth brushing. *J Clin Dent* 10:131–134, 1999.
 91. Niles HP, Vaquez J, Rustogi KN, Williams M, Gaffar A, Proskin HM: The clinical effectiveness of dentifrice containing triclosan and a copolymer for providing long-term control of breath odor measures chromatographically. *J Clin Dent* 10:135–138, 1999.
 92. Sharma NC, Galustians HJ, Qaqish J, Galustians A, Petrone ME, Rustogi KN, Zhang KP, Chaknis P, DeVizio W, Volpe AR: The clinical efficacy of Colgate Total plus whitening toothpaste containing a special grade of silica and Colgate Total Toothpaste for controlling breath odor twelve hours after tooth brushing. A single-use clinical study. *J Clin Dent* 13 (Spec Iss):73–76, 2002.
 93. Hu D, Zhang Y, Volpe A, DeVizio W, Giniger M: Clinical effectiveness of a triclosan/copolymer/sodium fluoride dentifrice in controlling oral malodor: A three-week clinical trial. *Oral Dis* 11(Suppl 1):51–53, 2005.
 94. Sreenivasan P: The effects of a triclosan/copolymer dentifrice on oral bacteria including those producing hydrogen sulfide. *Eur J Oral Sci* 111:233–237, 2003.
 95. Sreenivasan PK, Furgang D, Zhang Y, DeVizio W, Fine DH: Antimicrobial effects of a new therapeutic liquid dentifrice formulation on oral bacteria including odorigenic species. *Clin Oral Invest* 9:38–45, 2005.
 96. DeVizio W, Davies R: Rationale for the daily use of a dentifrice containing triclosan in the maintenance of oral health. *Compend Cont Educ Dent* 25 (Suppl 1):54–57, 2004.

Supplemental References

- a. Addy M, Jenkins S, Newcomb R: Toothpastes containing 0.3% and 0.5% triclosan. II. Effects of single brushings on salivary bacteria counts. *Am J Dent* 2:215–219, 1989.
- b. Ciancio SG, Newman MG, Shafer R: Recent advances in periodontal diagnosis and treatment: Exploring new treatment alternatives. *JADA* 123:34–43, 1992.
- c. Furuchi RP, Lindhe J, Gaffar A: A model for studying the effects of mouthrinses on de novo plaque formation. *J Clin Periodontol* 19:509–520, 1992.
- d. Garcia-Godoy F: Triclosan/copolymer/NaF dentifrice prophylaxis, reduced etching time and shear bond strength of a resin composite to enamel. *Am J Dent* 5:312–314, 1992.
- e. Garcia-Godoy F, O'Quinn JA, Donohue M: Effect of a triclosan/copolymer/fluoride dentifrice prophylaxis on the shear bond strength of a composite resin to enamel. *Am J Dent* 4:167–169, 1991.
- f. Jenkins S, Addy M, Newcombe R: Toothpastes containing 0.3% and 0.5% triclosan. I. Effects on 4-day plaque regrowth. *Am J Dent* 2:211–214, 1989.
- g. Lin Y-J, Fung KK, Kong BM, DeSalva SJ: Gingival absorption of triclosan following topical mouthrinse application. *Am J Dent* 7: 13–16, 1994.
- h. Marsh PD: Microbiological aspects of the chemical control of plaque and gingivitis. *J Dent Res* 71:1431–1438, 1992.
- i. Marsh PD: Dentifrices containing new agents for the control of plaque and gingivitis: Microbiological aspects. *J Clin Periodontol* 18:462–467, 1991.
- j. Report on the use of triclosan/copolymer dentifrices in the control of plaque and gingivitis. *Am J Dent* 2 (Spec Iss):183–240, 1989.
- k. Report on recent advances in dentifrice and mouthrinse technology for the prevention of oral diseases. *Am J Dent* 3 (Spec Iss):S1–S72, 1990.
- l. Urquhart E, Addy M: The chemical control of plaque. *Dent Health* 30:8–13, 1991.
- m. Yiu CKY, Wei SHY: Clinical efficacy of dentifrices in the control of calculus, plaque and gingivitis. *Prev Dent* 24:181–187, 1993.
- n. Waaler SM, Rölla G, Skjörland KK, Ogaard B: Effects of oral rinsing with triclosan and sodium lauryl sulfate on dental plaque formation: A pilot-study. *Scand J Dent Res* 101:192–195, 1993.
- o. Wade WG, Addy M: Antibacterial activity of some triclosan-containing-toothpastes and their ingredients. *J Periodontol* 63:280–282, 1992.
- p. Wei SHY, Yiu CKY: The role of dentifrices in the control of calculus, plaque and gingivitis. *Asia-Pacific Dent News* 1–4, October, 1990.